

1410 North Hilton • Boise, Idaho 83706-1255 • (208) 373-0502

Dirk Kempthome, Governor C. Stephen Allred, Director

January 17, 2003

Certified Mail No. 7000 1670 0013 9128 9059

Tim Degarmo St. Alphonsus Regional Medical Center 1055 N. Curtis Road Boise. ID 83706-1370

RE:

AIRS Facility No. 001-00027, St. Alphonsus Medical Center, Boise

Final Tier II Operating Permit and Permit to Construct

Dear Mr. Degarmo:

The Department of Environmental Quality (Department) is issuing Tier II Operating Permit and Permit to Construct No. 001-00027 for the St. Alphonsus Regional Medical Center facility in accordance with the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.400 - 470 and 58.01.01.200 - 228, respectively.

The enclosed permit is effective immediately and is based on the information contained in your permit application and all relevant comments received during the public comment period.

Mike McGown of the Boise Regional Office will contact you regarding a meeting to discuss the permit terms and requirements. The Department recommends the following representatives attend the meeting: your facility's plant manager, responsible official, environmental contact, and any operations staff responsible for day-to-day compliance with permit conditions.

Pursuant to IDAPA 58.01.23, you, as well as any other entity, may have the right to appeal this final agency action within 35 days of the date of this decision. However, prior to filing a petition for a contested case, I encourage you to call Mike Simon at (208) 373-0502 to address any questions or concerns you may have with the enclosed permit.

Sincerely

Katherine B. Kelly Administrator

Air Quality Division

COO730

KK/KB/sm Project No. T2-010415 G:\Air Quality\Stationary Source\SS Ltd\T2\St Als\Final Prep\T2-010115 St. Al Final Itr.doc

Enclosure

CC:

Laurie Kral, EPA Region 10 Mike McGown, Regional Office



Air Quality TIER II OPERATING PERMIT and PERMIT TO CONSTRUCT

State of Idaho Department of Environmental Quality **PERMIT NO.: 001-00027**

AQCR: 64

CLASS: SM

SIC:

8062

ZONE: 11

UTM COORDINATE (km):

560.2, 4828.2

1. PERMITTEE

Saint Alphonsus Regional Medical Center

2. PROJECT

Tier II operating permit and permit to construct

3. MAILING ADDRESS	CITY	STATE	ZIP
1055 N. Curtis Road	Boise	<u>ID</u>	83706-1370
4. FACILITY CONTACT	TITLE	TELEPHONE	
Tim Degarmo	Manager, Plant Operations	208-367-2726	
5. RESPONSIBLE OFFICIAL	TITLE	TELEPHONE	
Tim Degarmo	Manager, Plant Operations	208-367-2726	
6. EXACT PLANT LOCATION		COUNTY	
1055 N. Curtis Road, Boise, Idaho		Ada	

7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS

General medical and surgical hospital

8. PERMIT AUTHORITY

This permit to construct and Tier II operating permit is issued according to the Rules for the Control of Air Pollution in Idaho, IDAPA 58.01.01.200-228 and IDAPA 58.01.01.400-470, respectively. This permit pertains only to emissions of air contaminants regulated by the state of Idaho and to the sources specifically allowed to be operated by this permit. Only the terms and conditions pertaining to Tier II operating permit requirements are subject to the expiration date of this permit.

This permit is not transferable to another person, place, or piece or set of equipment and will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented in the application and the Idaho Department of Environmental Quality's technical analysis of the supplied information. Changes in design or equipment that result in any change in the nature or amount of emissions may be considered a modification. Modifications are subject to Department review in accordance with IDAPA 58.01.01.200.

KATHERINÉ B. KELLY, ADMINISTRATOR, AIR QUALITY DIVISION

DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE ISSUED:

January 17, 2003

DATE EXPIRES: January 17, 2008

KK/MS/sm

G:VAIR QUALITY/STATIONARY SOURCE/SS LTD/T2/ST ALS/FINAL PREP/T2-010115 ST. AL FINAL PMT.DOC

TABLE OF CONTENTS

	NYMS, UNITS AND CHEMICAL NOMENCLATURE	
1.	PERMIT SCOPE	4
2.	FACILITY-WIDE CONDITIONS	6
3.	BOILERS	8
4.	EMERGENCY GENERATORS	., 10
5.	SUMMARY OF EMISSION RATE LIMITS	. 11
6.	FACILITY-WIDE EMISSIONS INVENTORY	. 12
7.	PERMIT GENERAL PROVISIONS	. 13

ACRONYMS, UNITS AND CHEMICAL NOMENCLATURE

ASTM American Society for Testing and Materials

AQCR Air Quality Control Region

Btu British thermal units
CO carbon monoxide

Department Department of Environmental Quality

dscf dry standard cubic feet

EPA Environmental Protection Agency

gr grain (1 lb = 7,000 grains)

IDAPA A numbering designation for all administrative rules in Idaho promulgated in accordance with

the Idaho Administrative Procedures Act

kW kilowatt

lb/hr pound per hour

MMBtu/hr million British thermal units per hour

NO_x nitrogen oxides

O&M operations and maintenance

PM particulate matter

PM₁₀ particulate matter with an aerodynamic diameter of 10 micrometers or less

SIC Standard Industrial Classification

SM synthetic minor SO₂ sulfur dioxide T/yr tons per year

UTM Universal Transverse Mercator VOC volatile organic compound

Permittee: Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires:

January 17, 2003

1. PERMIT SCOPE

Purpose

1.1 The purpose of this Tier II operating permit and permit to construct is to permit sources constructed without a permit, limit facility emissions to below major facility classification, and to protect ambient air quality standards.

- 1.2 This permit incorporates and replaces the following permit:
 - Tier II Operating Permit No. 001-00027, issued January 22, 1996, and revised March 15, 1996

Regulated Sources

1.3 Table 1.1 below lists all sources of emissions that are regulated in this permit:

Table 1.1 REGULATED EMISSION SOURCES

Permit Section	Source Description	Emissions Control(s)
3	Boiler No. 1 – Cleaver Brooks natural gas-fired, No. 2 fuel oil back up, 31.5 MMBtu/hr rated heat input capacity, model D-52; installed 1972	None
3	Boiler No. 2 – Cleaver Brooks natural gas-fired, No. 2 fuel oil back up, 31.5 MMBtu/hr rated heat input capacity, model D-52; installed 1972	None
3	Boiler No. 3 – Cleaver Brooks natural gas-fired, No. 2 fuel oil back up, 12.8 MMBtu/hr rated heat input capacity, model D-26; installed 1980	None
3	Boiler No. 5 – Bryan Steam natural gas-fired, No. 2 fuel oil back up, 5.0 MMBtu/hr rated heat input capacity, model RV-500; installed 1993	None
3	M0BV1 Boilers Nos. 1 and 2, 1.8 MMBtu/hr each Lochinvar CHN 1800; installed 2001 MOBV1 Boiler No. 3, 500,000 Btu/hr, Lochinvar CFN501PM; installed 2001	None None
4	Emergency Generator No. 1 – Caterpillar diesel-fired, 675 kW rated output capacity, model D398	None
4	Emergency Generator No. 2 – Caterpillar diesel-fired, 750 kW rated output capacity, model D349-SRCR	None
4	Emergency Generator No. 3 – Kohler diesel-fired, 300 kW rated output capacity, model 300 R0Z0	None
4	Emergency Generator No. 4 – Detroit Diesel diesel-fired, 750 kW rated output capacity, model 573RS17034BP	None
4	Emergency Generator No. 5 – Kohler diesel-fired, 80 kW rated output capacity, model 80R0ZJ81	None
4	Emergency Generator No. 6 – Koehler diesel-fired, 600 kW rated output capacity, model 600R0ZD71	None
4	Emergency Generator No. 7 – Kohler diesel-fired, 200 kW, model 200 ROZD	None
4	Emergency Generator No. 8 – Kohler diesel-fired, 600 kW, model 600ROZD-4	None
4	Emergency Generator No. 9 - Kohler diesel-fired, 30 kW, model 30 RE0ZJB	None

Permittee:

Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires:

January 17, 2003

Unregulated Sources

1.4 Table 1.2 below lists sources of emissions that do not warrant regulation in this permit.

Table 1.2 EMISSIONS SOURCES

Source Description

Sterilizer, AMSCO, model Eagle E3048-1

Paint Booth, Devibis, model DW6305

Diesel fuel storage tanks

Permittee: Saint Alphonsus Regional Medical Center

Date Issued: January 17, 2003

Location:

Boise, Idaho

Date Expires: January 17, 2003

2. FACILITY-WIDE CONDITIONS

2.1 All reasonable precautions shall be taken to prevent PM from becoming airborne in accordance with IDAPA 58.01.01.650-651.

[IDAPA 58.01.01.650-651, 5/1/94]

Visible Emissions

2.2 No person shall discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which is greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, NO_x, and chlorine gas are the only reason(s) for the failure of the emission to comply with the requirements of this section.

[IDAPA 58.01.01.625, 5/1/94]

Excess Emissions

2.3 The permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions due to startup, shutdown, scheduled maintenance, safety measures, upsets, and breakdowns.

Reports and Certifications

2.4 Any reporting required by this permit, including, but not limited to, records, monitoring data, supporting information, requests for confidential treatment, testing reports, or compliance certifications, shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete. Any reporting required by this permit shall be submitted to the following:

Air Quality Permit Compliance Department of Environmental Quality Boise Regional Office 1445 N. Orchard Boise, ID 83706-2239

[IDAPA 58.01.01.405.01, 5/1/94]

Monitoring and Recordkeeping

2.5 The permittee shall maintain sufficient recordkeeping to assure compliance with all of the terms and conditions of this operating permit. Records of monitoring information shall include, but not be limited to the following: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes, but is not limited to, all calibration and maintenance records, all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to Department representatives upon request.

[IDAPA 58.01.01.405.01, 5/1/94]

Permittee:

Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires: January 17, 2003

Fuel-burning Equipment

2.6 The permittee shall not discharge to the atmosphere from any fuel-burning equipment PM in excess of 0.015 gr/dscf of effluent gas corrected to 3% oxygen by volume for gas or 0.050 gr/dscf of effluent gas corrected to 3% oxygen by volume for liquid fuel.

[IDAPA 58.01.01.676-677, 5/1/94]

Sulfur Content

- 2.7 No person shall sell, distribute, use, or make available for use any distillate fuel oil containing more than the following percentages of sulfur:
 - · ASTM Grade 1 fuel oil 0.3% by weight
 - ASTM Grade 2 fuel oil 0.5% by weight
 - Residual fuel oil (ASTM Grade 4, 5, and 6) 1.75% by weight

[IDAPA 58.01.01.728, 5/1/94]

Air Stagnation Advisory Days

2.8 The permittee shall comply with the Air Pollution Emergency Rules in IDAPA 58.01.01.550 - 562.

[IDAPA 58.01.01.550, 5/1/94]

Obligation to Comply

2.9 Receipt this permit shall not relieve the owner or operator of the responsibility to comply with all applicable local, state, and federal rules and regulations.

[IDAPA 58.01.01.406, 5/1/94]

Permittee:

Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Boise, Idaho Location:

Date Expires: January 17, 2003

3. **BOILERS**

3.1 **Process Description**

The primary purpose of the boilers is to generate steam for space heating.

3.2 Control Description

Emissions from the boilers are uncontrolled.

Emissions Limits

3.3 **Emissions Limits**

Emissions of PM, PM₁₀, NO_x, CO, and SO₂ from the boilers shall not exceed any corresponding emissions rate limits listed in the following table:

Table 3.1 BOILER EMISSIONS LIMITS

Source	urce PM		PM ₁₀		\$O₂		NO _x		со	
Description	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	Т/уг	lb/hr	Т/уг
Boilers	1.96	3.01	1.0	2.84	41.6	7.69	11.9	19.6	7.0	30.0

[IDAPA 58.01.01.211.01, 5/1/94]

Operating Requirements

3.4 Fuel for Boilers

The primary fuel for boilers No. 1, 2, 3, and 5 shall be natural gas. The secondary fuel shall be No. 2 fuel oil. The fuel for the MOBV1 boilers is limited to natural gas.

[IDAPA 58.01.01.405.01, 5/1/94]

3.5 Operation Time on No. 2 Fuel Oil

The maximum operation time of boilers No. 1, 2, 3, and 5 when operating on No. 2 diesel fuel oil shall not exceed 360 hours each in any 12-month period.

[IDAPA 58.01.01.211.01, 5/1/94]

3.6 Operation on No. 2 Fuel Oil During Atmospheric Stagnation Advisory Periods

Boilers No. 1,2,3, and 5 shall not be operated on No. 2 fuel oil, except only during emergencies, during any period in which an Atmospheric Stagnation Advisory and/or a mandatory Wood Stove Curtailment have been declared in Boise by the Department.

[IDAPA 58.01.01.405.01, 5/1/94]

Permittee:

Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires:

January 17, 2003

Monitoring and Recordkeeping Requirements

3.7 Operation on No. 2 Fuel Oil

The permittee shall monitor and record the date and the number of hours each boiler operates on No. 2 fuel oil.

[IDAPA 58.01.01.211.01, 5/1/94]

3.8 Operations and Maintenance Manual Requirements

At all times, the permittee shall maintain in good working order and operate, as efficiently as practicable, the natural gas- and fuel oil-fired boilers. An O&M manual shall be developed and followed by the permittee and shall be submitted to the Department for approval within 60 days of issuance of this permit. The O&M manual shall be updated as necessary and, shall include at a minimum, the most recent general descriptions of the equipment; the normal operating conditions and procedures for the boiler; startup, shutdown, and maintenance procedures; upset conditions guidelines; and corrective action procedures.

[IDAPA 58.01.01.405.01, 5/1/94]

Permittee: Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires:

January 17, 2003

EMERGENCY GENERATORS

4.1 Process Description

The primary purpose of these sources is the generation of electricity for the hospital in the event of a power interruption.

4,2 Control Description

Emissions from the diesel generator engines are uncontrolled.

Emission Limits

4.3 Emission Limits

Emissions of NO_x shall not exceed 166 lb/hr or 10.4 T/yr.

[IDAPA 58.01.01.211.01, 5/1/94]

Operating Requirements

4.4 Operating Schedule

The operation of each emergency diesel generator shall not exceed a maximum of 125 hours in any consecutive 12-month period. This limit shall not apply during times of electric power outages to the hospital.

[IDAPA 58.01.01.211.01, 5/1/94]

4.5 Operation During Atmospheric Stagnation Advisory Periods

The emergency generators shall not be operated, except for power outages, during any period in which the Department has declared an Atmospheric Stagnation Advisory or a mandatory Wood Stove Curtailment in Boise.

[IDAPA 58.01.01.405.01, 5/1/94]

4.6 <u>Fuel Specification</u>

The emergency diesel generators shall use No. 2 diesel fuel exclusively.

[IDAPA 58.01.01.211.01, 5/1/94]

Monitoring and Recordkeeping Requirements

4.7 Emergency Generator Operations

The permittee shall monitor and record the date, number of hours of operation, and reason for the operation of each emergency generating set. A compilation of the most recent five years of data shall be kept on site at all times and shall be made available to Department representatives upon request.

[IDAPA 58.01.01.211.01, 5/1/94]

Permittee: Saint Alphonsus Regional Medical Center

Location: Boise, Idaho

Date Issued:

January 17, 2003

Date Expires: January 17, 2003

5. SUMMARY OF EMISSION RATE LIMITS

The following table provides a summary of all emission rate limits required by this permit:

Table 5.1 SUMMARY OF ALL EMISSION RATE LIMITS

		-	nsus Regio nits* – Hou		•			
Source Description	PM ₁₀ °		NO _x		СО		SO ₂	
	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr	lb/hr	T/yr
Boilers	1.0	2.84	11.9	19.6	7.0	30.0	41.6	7.69
Emergency generators			166	10.4				

^{*}As determined by a pollutant-specific EPA reference method, a Department-approved alternative, or as determined by the Department's emissions estimation methods used in this permit analysis.

permit analysis.

As determined by multiplying the actual or allowable (if actual is not available) pound-per-hour emission rate by the allowable hours per year that the process(es) may operate(s), or by actual annual production rates.

fincludes condensibles.

Permittee: Saint Alphonsus Regional Medical Center

Date Issued:

January 17, 2003

Location:

Boise, Idaho

Date Expires: January 17, 2003

6. FACILITY-WIDE EMISSIONS INVENTORY

Table 6.1 provides a summary of the emissions inventory of the facility based on potential to emit. The emissions inventory table is provided for informational purposes only.

Table 6.1 EMISSION INVENTORY BASED ON PTE

Source Description	PM ₁₀	NO _x	co	voc	SO ₂
	T/yr	T/yr	T/yr	T/yr	T/yr
Boilers	2.84	19.6	30.0	1.95	7.69
Emergency generators	0.73	10.4	2.23	0.84	0.68
Total	2.57	30.0	32.2	1.95	8.37

Permittee:

Location:

Saint Alphonsus Regional Medical Center

Boise, Idaho

Date Issued:

January 17, 2003

Date Expires:

January 17, 2003

7. PERMIT GENERAL PROVISIONS

All emissions authorized herein shall be consistent with the terms and conditions of this permit. The emission of any pollutant in excess of the limitations specified herein, or noncompliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code 39-101 et seq.

- 2. The permittee shall at all times (except as provided in the *Rules for the Control of Air Pollution in Idaho*) maintain and operate in good working order all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable laws for the control of air pollution.
- 3. The permittee shall allow the Director, and/or his authorized representative(s), upon the presentation of credentials:
 - To enter upon the permittee's premises where an emissions source is located, or in which any records
 are required to be kept under the terms and conditions of this permit; and
 - At reasonable times to have access to and copy any records required to be kept under the terms and
 conditions of this permit, to inspect any monitoring methods required in this permit, and to require stack
 emissions testing (i.e., performance tests) in conformance with state-approved or accepted EPA
 procedures when deemed appropriate by the Director.
- 4. Except for data determined to be confidential under Section 9-342A, *Idaho Code*, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the appropriate regional office of the Department of Environmental Quality.
- 5. Nothing in this permit is intended to relieve or exempt the permittee from compliance with any applicable federal, state, or local law or regulation, except as specifically provided herein.
- 6. In the event of any change in control or ownership of source(s) from which the authorized emissions emanate, the permittee shall notify the succeeding owner or controller of the existence of this permit by letter, a copy of which shall be forwarded to the Director.
- 7. This permit shall be renewable on the expiration date, provided the permittee submits any and all information necessary for the Director to determine the amount and type of air pollutants emitted from the equipment for which this permit is granted. Failure to submit such information within 60 days after receipt of the Director's request shall cause the permit to be void.
- 8. The Director may require the permittee to develop a list of operation and maintenance procedures to be approved by the Department. Such list of procedures shall become a part of this permit by reference, and the permittee shall adhere to all of the operation and maintenance procedures contained therein.
- 9. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.